

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

T21S
S3
S10
R10W
1919

from which

An Alder, 10 ins. diam., bears S.7*W., 24 lks.
dist., marked T 21 S R 10 W S 10 B T.

An Alder, 10 ins. diam., bears N.66*W., 41 lks.
dist., marked T 21 S R 10 W S 3 B T.

Continue descent 115 ft. to

76.70 Stream, 3 lks. wide, course W; ascend SW slope 115 ft. to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
the ground, for cor. of Secs. 2 and 11, with brass cap
marked

T21S
S2
S11
R10W
1919

from which

A Fir, 24 ins. diam., bears N.33*E., 25 lks.
dist., marked T 21 S R 10 W S 2 B T.

An Alder, 12 ins. diam., bears S.71*E., 43 lks.
dist., marked T 21 S R 10 W S 11 B T.

Land, mountainous.

Soil, shallow sandy loam; 1st rate.

Timber, Alder, Maple, Fir, Hemlock and Cedar.

Undergrowth, Huckleberry, Vinemaple, Salmonberry and
Salal.

N.89*45'E., on a random line, bet. Secs. 2 and 11.

42.38 Set temp. $\frac{1}{4}$ Sec. corner.82.05 Intersect N and S line, at the cor. of Secs. 1, 2, 11
and 12.

Thence

S.89*45'W., on a true line, bet. Secs. 2 and 11.

Over mountainous land, through heavy timber and dense
undergrowth, descending SW and W slopes 515 ft. to