

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

T21S R10W
 S19|S20
 S30|S29
 1919

from which

A Fir, 18 ins. diam., bears N.51*E., 22 lks.
 dist., marked T 21 S R 10 W S 20 B T.

A Fir, 15 ins. diam., bears S.53*E., 24 lks.
 dist., marked T 21 S R 10 W S 29 B T.

A Fir, 18 ins. diam., bears S.83*W., 24 lks.
 dist., marked T 21 S. R 10 W S 30 B T.

An Alder, 12 ins. diam., bears N.24*W., 57 lks.
 dist., marked T 21 S R 10 W S 19 B T.

Land, mountainous.

Soil, heavy gravelly loam; 4th rate.

Timber, Fir, Alder and Maple.

Undergrowth, Huckleberry, Alder, Vinemaple, Salmonberry
 and Salal.

West, on sectional correction line, bet. Secs. 19 and 30.

Over mountainous land, through heavy timber and dense
 undergrowth, descending NW slope 120 ft. to

- 2.40 Gulch, course NW; ascend gentle NE slope 25 ft. to
- 3.40 Top of small spur, slopes NW; descend W slope 105 ft. to
- 5.70 Stream, 2 lks. wide, course SW; ascend along broken S.
 slope 95 ft. to
- 18.60 Top of spur, slopes S; descend SW slope 105 ft. to
- 22.10 Gulch, course S; ascend along S slope 95 ft. to
- 23.85 Top of spur, slopes SW; descend W slope 90 ft. to
- 26.60 Gulch, course S; ascend SE slope 80 ft. to
- 29.25 Top of spur, slopes S; descend SW slope 90 ft. to
- 31.10 Ravine, course SE; ascend E slope 80 ft. to
- 34.75 Top of spur, slopes S; descend SW slope 210 ft. to
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in
 the ground, for $\frac{1}{4}$ sec. cor., with brass cap marked