

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

35.50 Ravine, course SE; ascend S slope 60 ft. to
 38.05 Intersect the old cor. of Secs. 8, 9, 16 and 17, which
 is a stone, firmly set, marked as described by the
 Surveyor General. The original NE bearing tree has
 entirely disappeared. Alongside the old cor. stone
 set an iron post, 3 ft. long, 2 ins. diam., 24 ins.
 in the ground, for cor. of Secs. 8, 9, 16 and 17,
 with brass cap marked

T21S R10W
 S8|S9
 S17|S16
 1919

from which

A Maple, 12 ins. diam., bears N.61*E., 13 lks.
 dist., marked T 21 S R 10 W S 9 B T.

A Fir, 12 ins. diam., bears S.71*E., 42 lks.
 dist., marked T 21 S R 10 W S 16 B T.

An Alder, 12 ins. diam., bears S.24*W., 35 lks.
 dist., marked T 21 S R 10 W S 17 B T.

A Fir, 12 ins. diam., bears N.38*W., 31 lks.
 dist., marked T 21 S R 10 W S 8 B T.

Land, mountainous.

Soil, shallow sandy loam; 1st and 2nd rate.

Timber, Fir, Hemlock, Cedar, Maple and Alder.

Undergrowth, Salmonberry, Rhododendron, Vineapple,
 Huckleberry, Salal and Fern.

N.0*18'E., resurveying the line bet. Secs. 8 and 9.

Over mountainous land, through heavy timber and dense
 undergrowth, ascending SE slope 170 ft. to

2.90 Top of spur, slopes NE; descend N slope 510 ft. to
 17.00 Dry bed of creek, course E; ascend SE slope 345 ft. to
 25.05 Top of spur, slopes SE; descend NE slope 145 ft. to
 28.75 Stream, 1 lk. wide, course E; ascend 60 ft. to
 30.85 Top of ascent on E slope; descend NE slope 75 ft. to
 39.07 Apportioned distance