

SUBDIVISIONS, T. 21 S., R. 10 W.

CHAINS

$\frac{1}{4}$
 S19 | S20
 1919

from which

A Hemlock, 14 ins. diam., bears S.79*E., 43 lks.
 dist., marked $\frac{1}{4}$ S 20 B T.

An Alder, 12 ins. diam., bears N.36*W., 48 lks.
 dist., marked $\frac{1}{4}$ S 19 B T.

Descend N slope 140 ft. to

44.00 Draw, course NE; ascend SE slope 55 ft. to

46.75 Top of spur, slopes E; descend NE slope 125 ft. to

50.05 Stream, 1 lk. wide, course E; ascend along E slope
 135 ft. to

53.80 Top of spur, slopes NE; descend N slope 255 ft. to

59.05 Stream, 2 lks. wide, course NE; ascend along E slope
 245 ft. to

67.40 Top of spur, slopes NE; descend abrupt N slope 410 ft.
 to

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in
 the ground, for cor. of Secs. 17, 18, 19 and 20, with
 brass cap marked

T21S R10W
S18 | S17
S19 | S20
 1919

from which

An Alder, 30 ins. diam., bears N.15*E., 103 lks.
 dist., marked T 21 S R 10 W S 17 B T.

A Hemlock, 10 ins. diam., bears S.56*E., 50 lks.
 dist., marked T 21 S R 10 W S 20 B T.

A Maple, 12 ins. diam., bears S.33*W., 93 lks.
 dist., marked T 21 S R 10 W S 19 B T.

An Alder, 18 ins. diam., bears N.64*W., 54 lks.
 dist., marked T 21 S R 10 W S 18 B T.

Land, mountainous.

Soil, rocky; 4th rate.

Timber, Fir, Cedar and Hemlock.