

Subdivisions of T. 21 S., R. 11 W.
same deputy and contract.

CHAINS

Having been informed, that the cor. to secs. 1 and 2, 11 and 12 has been destroyed by fire, I begin at the $\frac{1}{4}$ sec. cor. bet. 1 and 2; which having been destroyed, I replace by setting a post, 3 ft. long, 3 ins. sq. for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S on W. face, from which
A stump of cedar, 10 ins. diam., bears N.45*W., 48 lks. dist. marked B T. This is the only remnant of former survey
A cedar, 10 ins. diam., bears S.43*E., 34 lks. dist. marked $\frac{1}{4}$ S B T.

Thence I run,
South, 0*1'E. bet. secs. 1 and 2.

Va.19*48'E.

Continue ascent of SW. slope through young cedars and firs.

5.00	Cross a canyon, course S.30*W.	+120
10.50	Top of spur, bears NE. and SW; ascend W. slope, covered by young firs and cedars.	+220
20.25	A canyon, course W.	-80
21.00	Top of ascent, begin descent.	+35
23.75	A canyon, course NW., begin ascent of N. slope of a flat.	
33.20	Change to ascent of W. slope.	
37.50	Change to ascent of E. slope.	
40.00	Set a sandstone 12x10x8 ins. for cor. to secs. 1, 2, 11 and 12, marked with 5 notches on S. and 1 on E. edges, from which A fir, 24 ins. diam., bears N.88 $\frac{1}{2}$ *E., 20 lks. dist. marked T 21 S R 11 W S 1 B T. A cedar, 12 ins. diam., bears S.4*E., 44 lks. dist. marked T 21 S R 11 W S 12 B T. A fir, 27 ins. diam., bears S.73 $\frac{1}{2}$ *W., 15 lks. dist. marked T 21 S R 11 W S 11 B T. A fir, 12 ins. diam., bears N.50 $\frac{1}{2}$ *W., 52 lks. dist. marked T 21 S R 11 W S 2 B T.	