

## Subdivisions of T 22 S. R 4 W. W M

CHAINS

To find the cor. to sec. 8, 9, 4 and 5, I run West in blank line bet. secs. 4 and 9 and at 82.00 chs. to place for cor. but the trees and post are too badly defaced. Set. post, 6 ins. diam., 4 ft. long with marked stone, 12 ins. in ground for cor. to secs. 8, 9, 4 and 5, marked T 22 S S 4 on NE., R 4 W S 9 on SE., S 8 on SW., S 5 on NW face with 4 notches on E and 5 on S edge, from which

A Fir, 4 ins. diam., bears N.48\*W., 64 lks. dist., marked T 22 S R 4 W S 5 B T.

A Fir, 6 ins. diam., bears N.37\*E., 72 lks. dist., marked T 22 S R 4 W S 4 B T.

A Fir, 8 ins. diam., bears S.50\*E., 95 lks. dist., marked T 22 S R 4 W S 9 B T.

A Fir, 5 ins. diam., bears S.81\*W., 47 lks. dist., marked T 22 S R 4 W S 8 B T.

Thence North on random line bet. secs. 4 and 5.

Va. 20 3/4\*E.

40.00 Set temp. qr. sec. cor.

78.04 Intersect North boundary of Tp., 212 lks. East of cor. to secs. 32, 33, 4 and 5, which is a post, 4 ins. diam., in the ground marked T 21 S S 33 on NE., R 4 W S 4 on SE., T 22 S S 5 on SW., S 32 on NW face, from which

A Fir, 15 ins. diam., bears S.36\*E., 13 lks. dist., marked T 22 S R 4 W S 4 B T.

A Fir, 8 ins. diam., bears S.66\*W., 73 lks. dist., marked T 22 S R 4 W S 5 B T.

A Fir, 10 ins. diam., bears N.50\*E., 12 lks. dist., marked T 21 S R 4 W S 33 B T.

A Yew, 16 ins. diam., bears N.25\*W., 27 lks. dist., marked T 21 S R 4 W S 32 B T.

Thence I run

S.1\*31'E., on true line bet. secs. 4 and 5.

Ascend 15\*slope.