

Resurvey of W. Bdy. of T. 22 S., R. 6 W., W. M.

CHAINS

- 6.97 Creek, 1 lk. wide, course N.20*E.
Ascend steep mountain.
- 24.50 Top of ridge, bears N.70*W., and S.70*E., 650 ft. above last creek, descend.
- 40.00 Set a hemlock post, 3 ft. long, 4 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor., mkd. $\frac{1}{4}$ S on W. face, from which
A Fir, 54 ins. dia., bears N.52*E., 20 lks. dist.
mkd. $\frac{1}{4}$ S B T.
A Fir, 20 ins. dia., bears S.58*W., 11 lks. dist.
mkd. $\frac{1}{4}$ S B T.
This cor. is on the S. slope of mountain, 150 ft. below top.
I could find no trace of the old $\frac{1}{4}$ sec. cor.
- 56.52 Creek, 1 lk. wide, course NW., 100 ft. below $\frac{1}{4}$ sec. cor.; ascend spur.
- 64.75 Top of spur, slopes NW., 200 ft. above creek; descend.
- 66.00 Ravine, course NW., 25 ft. below top of last spur, ascend spur.
- 68.75 Top of spur, slopes NW., 35 ft. above ravine, descend.
- 70.75 Ravine, course NW., 25 ft. below top of last spur; ascend spur
- 78.00 Top of spur, slopes SW., 200 ft. above ravine; descend.
- 80.00 Set a Madrona post, 3 ft. long, 4 ins. sq., 24 ins. in the ground for cor. of secs. 30 and 31, T. 22 S., R. 6 W., mkd. T 22 S S 30 on NE., and R. 6 W S 31 on SE faces, with 5 notches on N. and 1 notch on S. edges, from which
A Cedar, 36 ins. dia., bears N.83*E., 237 lks. dist.
mkd. T 22 S R 6 W S 30 B T.
A Fir, 48 ins. dia., bears S.30*E., 141 lks. dist.
mkd. T 22 S R 6 W S 31 B T.
This cor. is on the S. slope of spur about 25 ft. below top.
I establish the sec. cors. on this line to refer to the cors. on the E. only, for the reason that, in retracing this Tp. line, I found the W. Bdy. of sec. 31 to be