

## Subdivisions of T. 22 S., R. 6 W., W. M.

## CHAINS

- From the cor. of secs. 17, 18, 19 and 20, above described,  
 I run  
 South,  $0^{\circ}1'E.$ , on a true line bet. secs. 19 and 20.  
 Mag. decl  $21^{\circ}E.$   
 Descend.
- 12.28 Creek, 1 lk. wide, course NW., 100 ft. below sec. cor;  
 ascend ridge.
- 20.75 Top of ridge, bears NE and SW, 200 ft. above last creek,  
 descend.
- 40.00 Set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the  
 ground, for  $\frac{1}{4}$  sec. cor. mkd.  $\frac{1}{4}$  S on W. face; from which  
 A Cedar, 18 ins. diam., bears  $N.45^{\circ}E.$ , 99 lks. dist.  
 mkd.  $\frac{1}{4}$  S B T.  
 A Fir, 30 ins. diam., bears  $N.50^{\circ}W.$ , 24 lks. dist.  
 mkd.  $\frac{1}{4}$  S B T.  
 This cor. is on a SW. slope, 150 ft. below top of ridge.
- 42.04 Creek, 1 lk. wide, course SW., 25 ft. below  $\frac{1}{4}$  sec. cor.
- 45.77 Creek, 1 lk. wide, course SW., 25 ft. below last creek;  
 ascend spur.
- 51.25 Top of spur, slopes SW., 20 ft. above last creek; descend.
- 53.23 Creek, 1 lk. wide, course SW., 25 ft. below top of spur.
- 72.50 Foot of descent, 100 ft. below top of spur; thence across  
 bottom land.
- 73.45 Creek, 10 lks. wide, course NW; ascend.
- 80.00 The point for sec. cor. 50 ft. above creek, falls on a  
 rock in place, 4x4x3 ft. above ground, on which I  
 cut a (x) at exact cor. point, for cor. of secs. 19, 20,  
 29 and 30, mkd. with 2 grooves on S. and 5 grooves on  
 E. sides, from which  
 A Fir, 56 ins. diam., bears  $N.36^{\circ}E.$ , 39 lks. dist.  
 mkd. T 22 S R 6 W S 20 B T.  
 A Fir, 36 ins. diam., bears  $S.20^{\circ}E.$ , 191 lks. dist.  
 mkd. T 22 S R 6 W S 29 B T.  
 A Fir, 42 ins. diam., bears  $S.72^{\circ}W.$ , 62 lks. dist.  
 mkd. T 22 S R 6 W S 30 B T.