

Subdivisions of T. 22 S., R. 9 W.

CHAINS		
	N.89*29'E., on Random line, between secs. 3 and 10. Va. 20*30'E.	
40.00	Set temporary $\frac{1}{4}$ sec. corner.	
83.40	Intersected N. and S. line, 218 lks. S. of the corner to the secs. 2, 3, 10 and 11.	
	Thence, I run,	
	S.89*29'W., on true line, between secs. 3 and 10. Va. 20'E.	
5.85	Ridge, Course NE. and SW. Descend.	+ 100
21.15	A creek, 1 lk. wide, Course S.20*W.	- 400
31.35	A Fir, 12 ins. diam., a line tree marked with 2 notches, on the E. and W. sides.	
38.65	A creek, 2 lks. wide, Course S.30*W.	
40.00	Set sand stone, 16 x 12 x 6 ins., 12 ins. in ground on steep hillside sloping SE. for $\frac{1}{4}$ sec. corner, marked $\frac{1}{4}$ on N. face, from which, A Maple, 16 ins. diam., bears N.34*E., 34 lks. dist. Marked $\frac{1}{4}$ S. B. T. A Maple, 18 ins. diam., bears S.51*W., 41 lks. dist., Marked $\frac{1}{4}$ S. B. T.	
48.75	Spur, Course SW. Descend.	
57.00	A creek, 3 lks. wide, Course S.20*W.	- 400
74.50	Top of ridge, Course S.20*W., N.20*E.	+ 400
83.40	Intersected N. and S. line, 218 lks., N.5'E., the corner to secs. 4 and 9. Set sandstone 14x12x6, 10 ins. in ground on steep hillside, sloping SW. for closing corner to sec. 3 and 10. Marked C. C., on the E. with 8 notches on the E., and 5 notches on the S. side, from which, A Fir, 36 ins. diam., bears N.40*E., 82 lks. dist., Marked T. 22 S., R. 9 W., S. 3 B. T.	