

Subdivisions of T. 22 S., R. 10 W.

CHAINS		
	From the cor. to secs. 34 & 35 on the S. bdy. which I had previously set, I run N.0*2'W. a true line bet. secs. 34 & 35. Var. 20*15'E.	
	Along E. slope.	
3.00	Descend	
31.25	Dry creek, 6 lks., course NE.	500
36.00	Stream, 1 lk., course SE. Ascend E. slope.	
40.00	This point falling on a stone in place 3x5--4 ft. high, I mark with a cross (x) at exact cor. point for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, from which An alder, 6 ins. diam., bears S.28*W. 30 lks. dist. marked $\frac{1}{4}$ S B T. A fir, 5 ins. diam., bears S.75*W. 40 lks. dist. marked $\frac{1}{4}$ S B T.	
41.50	Spur, course S.80*E.	300
61.95	Mill Creek, course N.58*W.	400
62.70	Across same. Ascend W. slope.	
80.00	A fir on line, 10 ins. diam. which I marked T 22 S S 26 on NE., R 10 W S 35 on SE., S 34 on SW., S 27 on NW. with 1 notch on S. & 2 notches on E. edges for cor. to secs. 26, 27, 34 & 35, from which An alder, 5 ins. diam., bears N.85*E. 24 lks. dist. marked T 22 S R 10 W S 26 B T. A fir, 10 ins. diam., bears S.70*E. 8 lks. dist. marked T 22 S R 10 W S 35 B T. A fir, 12 ins. diam., bears S.8*W. 35 lks. dist. marked T 22 S R 10 W S 34 B T. A fir, 12 ins. diam., bears N.14*W. 68 lks. dist. marked T 22 S R 10 W S 27 B T. This cor. is on top of a narrow rocky spur. Mill Creek washes both sides. It is about 300 ft. above creek. Land, mountainous, 80.00 chs.	