

## CHAINS

South 1/4 Cor. Sec. 33, T.22-10 :

Intersect N. bdy. of Tp., 4.66 chs. w. of  $\frac{1}{4}$  sec. cor. on S. bdy. of sec. 33, T.22S., R.10W.

I find no post: only one of the original bearing trees remains; a dead fir, 48 ins. diam., bears S. 28°W., 75 lks. dist., by reference to which, I relocate the original cor. point, where I set a new fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for  $\frac{1}{4}$  sec. on S. bdy. of sec. 33; from which:

An alder, 8 ins. diam., bears N.8°E., 25 lks. dist., mkd.  $\frac{1}{4}$   
S 33 B.T. (new B.T.)

A fir, 4 ins. diam., bears S.72°W., 14 lks. dist., mkd.  $\frac{1}{4}$  S  
B T. (new B.T.)

A dead fir 48 ins. diam, bears S. 28°W., 75 lks. dist., mkd.  $\frac{1}{4}$   
S. B.T. (original B.T.)

-----

Closing Corner for Secs. 4 & 5 T23S R10W

At point of intersection, set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for C C of secs. 4 and 5, marked C C T23S R10W on S., S 4 on E., and S 5 on W. face, with 4 grooves on E., and 2 grooves on W face; from which:

An alder, 8 ins. diam., bears S. 65°E., 21 lks. dist., mkd.  
T23S R10W S4 B.T.

An alder, 6 ins. diam., bears S. 24°W., 12 lks. dist., mkd.  
T23S R10W S5 B.T.

August 29, 1906

(This information was added on 8/4/95. It was not originally typed in the line notes because the information was among survey information that was in Coos County. DCSO JC)