

Subdivisions of T. 22 S., R. 11 W.

CHAINS	
	S.0*1'E. on a true line bet. secs. 11 & 12. Var. 20*15'E.
	Over E. slope to
1.90	A dry creek bed, 2 lks. wide, course NE. and ascend abruptly.
11.50	Summit of mountain, course E. & W. about 450 ft. above sec. cor. and descend.
21.00	Stream, 1 lk. wide, course SW. about 400 ft. below top of mountain. Thence over broken W. slope.
34.50	Top of a ridge, course SW. and descend abruptly.
40.00	Set a stone 12x9x7 ins., 8 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. side, from which A fir, 4 ins. diam., bears S.75*E. 12 lks. dist. marked $\frac{1}{4}$ S B T. A willow, 3 ins. diam., bears S.42*W. 5 lks. dist. marked $\frac{1}{4}$ S B T.
52.20	Johnson's Creek, 25 lks. wide, course S.70*W. about 400 ft. below top of last ridge, and ascend.
55.00	Top of a spur, course NE.
62.40	A dry creek bed, 5 lks. wide, course N.20*E. from S.10*E.
71.00	Stream, 1 lk. wide, course E. and ascend abruptly.
77.14	A fir, 12 ins. diam. on line marked with 2 notches on N. & S. sides.
83.50	Bottom of a gulch, course NE. and ascend abruptly
85.66	To a point East of the cor. to secs. 10, 11, 14 & 15, at which point I set a sandstone 12x10x5 ins., 8 ins. in the ground for cor. to secs. 11, 12, 13 & 14, with 4 notches on S. & 1 notch on E. edges, from which A fir, 8 ins. diam., bears N.15*E. 36 lks. dist. marked T 22 S R 11 W S 12 B T. A fir, 12 ins. diam., bears S.29*E. 100 lks. dist. marked T 22 S R 11 W S 13 B T.