

## Retracement of Portion of E. Bdy. of T. 22 S., R. 12 W.

CHAINS	
6.83	Leave bottom, bears E. and W., and ascend steep S. slope thru heavy timber and dense undergrowth.
16.21	Spring branch, 2 lks. wide, course SE.
26.00	Top of ridge, 500 ft. high, bears E. and W. Descend N. slope.
33.25	Creek, 6 lks. wide, course W., 600 ft. below ridge. Steep ascent of S. slope.
36.75	Intersect the old $\frac{1}{4}$ sec. cor. heretofore described which is nearly destroyed. I destroy all trace of the old cor. and reestablish at the same point as follows: Set a spruce post, 3 ft. long, 10 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. 13 on W. face; from which A Fir, 42 ins. diam., bears S. 80*W. 44 lks. dist. marked $\frac{1}{4}$ S 13 B T. A Fir, 36 ins. diam., bears N.49*30'W. 185 lks. dist., marked $\frac{1}{4}$ S 13 B T.
47.22	Intersect the decayed remains of old closing cor. of secs. 7 and 18. I destroy all trace of this old cor. and reestablish it at the same point as follows: Set a myrtle post, 3 ft. long, 9 ins. sq., 24 ins. in the ground for closing cor. of secs. 7 and 18, marked C C on E., with 4 grooves on S. and 2 grooves on N. face, from which A Fir, 60 ins. diam., bears N.31*30'E. 48 lks. dist. marked T 22 S R 11 W S 7 B T. A Fir, 72 ins. diam., bears S.65*E. 59 lks. dist. marked T 22 S R 11 W S 18 B T.
52.00	Descend NE. slope.
58.40	Ravine, 300 ft. deep, course E.
72.17	Creek, 6 lks. wide, course NW.