

RETRACEMENT OF SUBDIVISIONS, T. 22 S R 12 W.

CHAINS

12 and 13, I set a Chittim post, 3 ft. long, 10 ins. sq. 24 ins. in the ground for cor. of Secs. 12 and 13, marked T 22 S S 13 on S W and R 12 W S 12 on NW face: with 2 notches on N and 4 notches on S edge, from which

A Chittim, 18 ins. diam., bears S.17*30'W., 56 lks. dist., marked T 22 S R 12 W S 13 B T.

An Alder, 36 ins. diam., bears N.77*30'W., 56 lks. dist., marked T 22 S R 12 W S 12 B T.

Thence I run

S.89*21'W., on a true line bet. Secs. 12 and 13.

Ascend along broken E. slope.

11.37 I destroy all trace of the old witness cor. and at the same point reestablish an angle corner as follows:

Set a Hemlock post, 5 ft. long, 8 ins. sq. 24 ins. in the ground for angle cor. marked A P on N face,

from which

A Fir, 80 ins. diam., bears N.78*15'W., 124 lks. dist. marked A P B T.

A Fir, 68 ins. diam., bears S.83*15'W., 150 lks. dist., marked A P B T.

15.00 Spur, 700 ft. above closing cor. of Secs. 12 and 13, slopes S.

Descend.

26.52 Rill, 1 lk. wide, course SW.

38.17 Creek, 5 lks. wide, course S. 500 ft. below beginning of descent.

Over general S. slope.

40.80 The $\frac{1}{2}$ Sec. cor. already described being a post in good condition from which

A Fir, 50 ins. diam., bears N.86*W., 48 lks. dist. marked $\frac{1}{2}$ S 12 B T.

A Fir, 50 ins. diam., bears S.60*W., 109 lks. dist. marked $\frac{1}{2}$ S 13 B T.

Thence

S.89*41'W.