

SUBDIVISIONS OF T. 22 S. R. 12 W. W.M.

CHAINS	
	A Willow, 6 ins. diam., bears S.47*W., 40 lks. dist., marked T 22 S R 12 W S 36 B T.
	A Maple, 10 ins. diam., bears N.42*W., 22 lks. dist., marked T 22 S R 12 W S 25 B T.
	Cloud prevented lat observation. May 4, 1910.
	West, on a true line, bet. Secs. 25 and 36.
	Ascend E. slope through heavy timber of small size, dense undergrowth in old burn.
2.00	Spur, 50 ft. above cor., slopes S.
	Descend W. slope.
7.00	Creek, 5 lks. wide, course S., 400 ft. below spur.
	Begin ascent of E. slope.
26.00	Top of ridge, 800 ft, above creek, bears N and S.
	Begin to descend W. slope, scattering timber and dense undergrowth.
38.94	Creek, 4 lks. wide, course S., 650 ft. below ridge.
38.98	Set a Cedar post, 3 ft. long, 9 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ Sec. cor., marked $\frac{1}{4}$ S 25 on N face and 36 on S face: from which
	An Alder, 16 ins. diam., bears N.62*E., 21 lks. dist., marked $\frac{1}{4}$ S 25 B T.
	An Alder, 18 ins. diam., bears S.3*E., 83 lks. dist., marked $\frac{1}{4}$ S 36 B T.
	Thence over very broken land sloping in general to the S.
47.00	Creek, 3 lks. wide, course S.
51.24	Spring branch, 3 lks. wide, course SE.
68.00	Ridge, 900 ft. high, bears SE, NW.
	Thence along S. slope to main divide.
74.65	Divide, bears NE, SW.
	Descend, N W slope, 150 ft. to
78.98	The cor. of Secs. 25 and 36.
	Land, mountainous.
	Soil, gravelly and sandy loam: 2nd and 3rd rate.
	Timber, Fir, Hemlock, Alder, Cedar, Willow