

East Bdy. of T. 23 S., R. 1 W.

CHAINS		
	S. on E. bdy. of sec. 36	
	Va. 20*E	
	Ascending through timber	
28.00	Top of ridge, bears NE and SW. Descend	+500
40.00	Set basalt stone, 12x7x6 ins. 9 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W face, from which	
	A chinquapin, 3 ins. diam., bears N.12*W., 29 lks. dist. Marked $\frac{1}{4}$ S B T	
	A chinquapin, 3 ins. diam., bears N.20*E., 53 lks. dist. Marked $\frac{1}{4}$ S B T	
45.35	Ravine, course SE. Ascend	-400
47.50	Top of spur, course SE. Descend	+20
64.25	Creek, 1 lk. wide, course NE. Ascend	-75
80.00	Set a post, for cor. to Tps. 23 and 24 _A , Rgs. 1 E and 1 W 4 ft. long, 4 ins. sq. 24 ins. in the ground, marked T 23 S S 31 on NE., R 1 E S 6 on SE., T 24 S S 1 on SW R 1 W S 36 on NW faces with 6 notches on N S E and W edges, from which	
	A fir, 14 ins. diam., bears N.60*E., 27 lks. dist. Marked T 23 S R 1 E S 31 B T	
	A fir, 36 ins. diam., bears S.40*E., 60 lks. dist. Marked T 24 S R 1 E S 6 B T	
	A fir, 40 ins. diam., bears S.34 $\frac{1}{2}$ *W., 47 lks. dist. Marked T 24 S R 1 W S 1 B T	
	A fir, 7 ins. diam., bears N.1*W., 45 lks. dist. Marked T 23 S R 1 W S 36 B T	
	Land, mountainous, 80.00 chs. Timbered with fir, hemlock, and scattering cedar Dense undergrowth of hemlock, vine-maple, and rhododendron Soil, sandy and rocky, 3rd and 4th rate	
	July 5, 1894	

South Bdy. of T. 23 S., R. 1 W.
Same Deputy and Contract

From the cor. to Tps. 23 and 24 South, Rgs. 1 E and 1 W. I run W on a random line between Tps. 23 and 24 South, Range 1 West, the variation of my compass being 20*E. I set temporary half mile and mile corners at each 40 and 80 chs. and find the Tp. line to be 6 miles, 53 chs. and 10 lks. long and the falling to be 275 lks. North of the cor. to Tps. 23 and 24 S., Rgs. 1 and 2 West. The correction for the true line will therefore be 42 lks. S per mile and its course will be N.89*42'E.