

South Bdy. of T. 23 S., R. 1 W.

CHAINS		
	From the cor. to Tps. 23 and 24 South., Rs. 1 and 2 W	
	I run	
	N.89*42'E., on true line on S boundary of sec. 31	
	Va. 18 $\frac{1}{2}$ *E.	
	Descending through timber.	
16.50	Creek, 6 lks. wide, course NE. Ascend	-200
40.55	Creek, 1 lk. wide, course NE	
52.00	Top of spur, course NE. Descend	+200
77.70	Creek, 2 lks. wide, course NE	
92.50	Creek, 10 lks. wide, course NE. Ascend	-350
93.10	Set basalt stone, 24x20x12 ins. 18 ins. in the ground, marked $\frac{1}{4}$ on N face, for $\frac{1}{4}$ sec. cor., from which A fir, 6 ins. diam., bears N.62*W., 7 lks. dist. Marked $\frac{1}{4}$ S B T A fir, 4 ins. diam., bears S.35*W., 8 lks. dist. Marked $\frac{1}{4}$ S B T	
95.00	Top of spur, course NW Descend	+70
96.60	Creek, 4 lks. wide, course NW Ascend	-50
110.00	Top of ridge, course NW. Descend	+300
123.00	Bottom of ravine, course N Ascend	-200
132.00	Top of spur, course N. Descend	+200
133.10	Set basalt stone, 14x10x8 ins. 9 ins. in the ground for cor. to secs. 5, 6, 31 and 32, marked with 5 notches on E and 1 notch on W edges, from which A cedar, 10 ins. diam., bears N.21*E., 55 lks. dist. Marked T 23 S R 1 W S 32 B T A fir, 24 ins. diam., bears S.29 $\frac{1}{2}$ *E., 44 lks. dist. Marked T 24 S R 1 W S 5 B T A fir, 36 ins. diam., bears S.33 $\frac{1}{2}$ *W., 42 lks. dist. Marked T 24 S R 1 W S 6 B T	-40