

7
Subdivisional Lines of T. 23 S., R. 3 W.
Same Deputy and Contract

CHAINS

Beginning at the established cor. to secs. 35 & 36 in

The S. bdy. of the Tp. which is

A hemlock, 10 ins. diam., marked

T 23 S R 3 W S 36 on NE.,

T 24 S R 3 W S 1 on SE.,

T 24 S R 3 W S 2 on SW., and

T 23 S R 3 W S 35 on NW.,

faces with 1 notch on the E. & 5 notches on the W. faces
from which

A hemlock, 6 ins. diam., bears N.60*W. 14 lks. dist.
marked T 23 S R 3 W S 35 B T

A hemlock, 6 ins. diam., bears N.30*E. 39 lks. dist.
marked T 23 S R 3 W S 36 B T

A cedar, 24 ins. diam., bears S.1*E. 32 lks. dist.
marked T 24 S R 3 W S 1 B T

A cedar, 20 ins. diam., bears S.70*W. 49 lks. dist.
marked T 24 S R 3 W S 2 B T

Thence North, bet. secs. 35 & 36

Var. 18*15'E.

7.75 Creek 6 lks. wide flows SE.

13.10 Creek 3 lks. wide flows SE.

40.00 Set a post 3 ft. long 4 ins. sq. 20 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face from which

A fir, 24 ins. diam., bears W. 30 lks. dist.
marked $\frac{1}{4}$ S B T

A fir, 30 ins. diam., bears S.40*E. 25 lks. dist.
marked $\frac{1}{4}$ S B T

And ascend to

80.00 Set a basalt stone 10x8x7 ins. 5 ins. in the ground for
cor. to secs. 25, 26, 35 & 36

marked with 1 notch on S. & E. edges from which

A fir, 24 ins. diam., bears N.47*E. 60 lks. dist.
marked T 23 S R 3 W S 25 B T

A fir, 30 ins. diam., bears S.30*E. 85 lks. dist.