

8
Subdivisional Lines of T. 23 S., R. 3 W.

CHAINS

marked T 23 S R 3 W S 36 B T

A fir, 28 ins. diam., bears S.60*W. 47 lks. dist.

marked T 23 S R 3 W S 35 B T

A fir, 7 ins. diam., bears N.55*W. 46 lks. dist.

marked T 23 S R 3 W S 26 B T

Corner is set beneath a stone ledge on bluff

Land rolling

Soil 1st & 2nd rate

A gradual ascent densely covered with a forest of fir
timber 80.00 chs.

Thick underbrush of vine maple

East, on a random line between secs. 25 & 36

Var. 19*30' E.

16.00 Summit of mountain N. & S. † 2000 ft.

34.75 Stream 2 lks. wide flows S.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

49.50 Stream 2 lks. wide flows S.

60.00 Stream 2 lks. wide flows S.

72.50 Stream 2 lks. wide flows S.

79.80 Intersect E. bdy. of Tp. 45 lks. N. of cor. to secs.
25, 30, 31 & 36 which is

A post 3 ft. long 4 ins. sq. 24 ins. in the ground marked

T 23 S S 30 on NE.,

R 2 W S 31 on SE.,

R 3 W S 36 on SW., and

S 25 on NW.

faces with 5 notches on the N. and 1 notch on S. edge
from which

A hemlock, 20 ins. diam., bears N.15*E. 66 lks. dist.

marked T 23 S R 2 W S 30 B T

A spruce, 40 ins. diam., bears S.80*E. 13 lks. dist.

marked T 23 S R 2 W S 31 B T

A hemlock, 10 ins. diam., bears S.85*W. 16 lks. dist.

marked T 23 S R 3 W S 36 B T