

15

Subdivisional Lines of T. 23 S., R 3 W.

CHAINS

for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face from which
 A wine maple, 6 ins. diam., bears N.5*W. 6 lks. dist.
 Marked $\frac{1}{4}$ S B T
 A hemlock, 7 ins. diam., bears S.30*E. 15 lks. dist.
 marked $\frac{1}{4}$ S B T
 Cor. in creek bottom
 79.88 Cor. to secs. 11, 12, 13 & 14
 Land rolling
 Soil 1st & 2nd rate
 Densely covered with forest of hemlock and fir timber
 79.88 chs. and thick underbrush of hemlock
 I now proceed to the established SE cor. of sec. 3,
 find the cor. down and the bearing trees standing. I
 re-establish corner by setting post 4 ft. long & ins.
 sq. 24 ins. in the ground in the exact place of old
 cor. for cor. to secs. 2, 3, 10 & 11 marked
 T 23 S S 2 on NE.,
 R 3 W S 11 on SE.,
 S 10 on SW. and
 Sec. 3 on NW.
 faces with 5 notches on the S. and 2 notches on the E.
 edges from which
 A fir, 18 ins. diam., bears N.29*E. 41 lks. dist.
 marked T 23 S R 3 W S 2 B T
 A fir, 6 ins. diam. bears S.46*E. 37 lks. dist.
 marked T 23 S R 3 W S 11 B T
 A fir, 10 ins. diam., bears S 68*W. 28 lks. dist.
 marked T 23 S R 3 W S 10 B T
 A fir, 14 ins. diam., bears N70*W. 31 lks. dist.
 marked T 23 S R 3 W S 3 B T
 Thence I run E. on random line on the S. boundary of
 secs. 2 & 1 Var. 19* 30' E. Setting temp. sec. and
 $\frac{1}{4}$ sec. cor. and at 2 miles 1 chn. & 20 lks. I inter-
 sect N. & S. line 1.64 lks. N. of cor. to Secs. 1, 6,
 7 & 12 which is
 A basalt stone 18x8x4 ins. 6 ins. in the ground marked