

County Surveyor's Record, Douglas County, Oregon

31

Subdivisional Lines of T. 23 S., R. 3 W.

CHAINS

Land mountainous

Soil 2nd rate

Densely covered with fir and hemlock timber 80.00 chs.

Thick underbrush of fir & hemlock

East, on random line bet. secs. 15 & 22

Var. 20* E.

9.00 Stream 2 lks. wide flows SW.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

52.25 Stream 7 lks. wide flows NE.

63.50 Stream 5 lks. wide flows NE.

79.75 Intersect N. & S. line 2 $\frac{1}{2}$ lks. S. of cor. to secs. 14,
15, 22 & 23

S.89* 51' W. On true line bet. secs. 15 & 22

Var. 18* E.

39.87 Set a post 3 ft. long 3 ins. sq. 20 ins. in the ground
marked $\frac{1}{4}$ S. on N. face for $\frac{1}{4}$ sec. cor. from which

A hemlock, 7 ins. diam., bears S.15*W. 5 lks. dist.

marked $\frac{1}{4}$ S B T

A hemlock, 5 ins. diam., bears N. 5 lks. dist.

marked $\frac{1}{4}$ S B T

79.75 Cor. to secs. 15, 16, 22 & 23

Land rough & steep

Soil 2nd rate

Densely covered with fir, hemlock & cedar timber 79.75
chs.

Thick underbrush of fir & hemlock

North, bet. secs. 15 & 16

Var. 20* E.

Ascend mountain

40.00 Set a post 4 ft. long 5x5 ins. 24 ins. in the ground
marked $\frac{1}{4}$ S. on W. face for $\frac{1}{4}$ sec. cor. from which

A cedar, 10 ins. diam., bears S.45*E. 20 lks. dist.

marked $\frac{1}{4}$ S B T

A cedar, 20 ins. diam., bears N.11*W. 35 lks. dist.