

43

Subdivisional Lines of T. 23 S., R. 3 W.

CHAINS

marked T 23 S R 3 W S 29 B T

A hemlock, 6 ins. diam., bears S.55°E. 34 lks. dist.

marked T 23 S R 3 W S 32 B T

A hemlock, 40 ins. diam., bears S.3°W. 65 lks. dist.

marked T 23 S R 3 W S 31 B T

A hemlock, 30 ins. diam., bears N.25°W. 40 lks. dist.

marked T 23 S R 3 W S 30 B T

Land level or gradual ascent

Soil 1st rate

Densely covered with forest of fir and hemlock timber

80.00 chs.

Thick fir underbrush

East, on random line bet. secs. 29 & 32

Var. 18°30'E.

12.00 Stream 3 lks. wide flows NE.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

74.00 Stream 3 lks. wide flows SE.

80.10 Intersect N. & S. line at cor. to secs. 28, 29, 32 & 33

West, on true line bet. secs. 29 & 32

Var. 18°15' E.

40.05 A fir, 24 ins. diam., which I mark $\frac{1}{4}$ S. on N. face
for $\frac{1}{4}$ sec. cor. from which

A dogwood, 8 ins. diam., bears S.5°E. 15 lks. dist.

marked $\frac{1}{4}$ S B T

A dogwood, 7 ins. diam., bears N.14°W. 27 lks. dist.

marked $\frac{1}{4}$ S B T

80.10 Cor. to secs. 29, 30, 31 & 32

Land rough and steep

Soil 1st & 2nd rate

Densely covered with forest of fir and hemlock timber

80.10 chs.

Thick underbrush of vine maple

Aug. 16, 1882