

County Surveyor's Record, Douglas County, Oregon

44

Subdivisional Lines of T. 23 S., R. 3 W.

CHAINS	
	West, on random line bet. secs. 30 & 31 Var. 18° 30'E.
26.40	Spring branch 4 lks. wide flows N.
29.50	Spring branch 6 lks. wide flows N.
40.00	Set temp. $\frac{1}{4}$ sec. Cor.
53.60	Spring branch 3 lks. wide flows N. Enter thicket of underbrush
80.00	Intersect N. & S. line at cor. to secs. 25, 30, 31, & 36 Which is a basalt stone 18x10x8 ins. 10 ins. in the ground marked with 5 notches on the N. and 1 notch on S. edges from which A cedar, 20 ins. diam., bears N.15°E. 35 lks. dist. marked T 23 S R 3 W S 30 B T A cedar, 18 ins. diam., bears S.35°E. 55 lks. dist. marked T 23 S R 3 W S 31 B T A cedar, 20 ins. diam., bears S.70°W. 15 lks. dist. marked T 23 S R 4 W S 36 B T A fir, 50 ins. diam., bears N.50°W. 31 lks. dist. marked T 23 S R 4 W S 25B T Thence East, on a true line bet. secs. 30 & 31 Var. 19°30'E.
40.00	A post 4 ft. long 4 ins. sq. 24 ins. in the ground marked $\frac{1}{4}$ S. on N. face for $\frac{1}{4}$ sec. cor. from which A hemlock, 24 ins. diam., bears N.70°E. 15 lks. dist. marked $\frac{1}{4}$ S B T A hemlock, 7 ins. diam., bears W. 70 lks. dist. marked $\frac{1}{4}$ S B T
80.00	Cor. to secs. 29, 30, 31 & 32 Land gently rolling Soil 1st rate Densely covered with heavy forest of fir, cedar and hemlock timber 80.00 chs. Thick underbrush of hemlock & fir