

Subdivision of T. 23 S., R. 5 W., W. M.

CHAINS		
	A W. oak, 10 ins. diam., bears N.76½°W., 654 lks. Va.19°50'E.	
48.50	Top of spur, N.70°E., and S.70°W.	+125
55.00	Begin to ascend.	-75
75.00	Top of hill.	+100
80.00	Set post, cor. to secs. 28, 29, 32 and 33, from which A laurel, 14 ins. diam., bears S.60°W., 37 lks. A W. oak, 16 ins. diam., bears S.55°E., 129 lks. A W. oak, 16 ins. diam., bears N.82°E., 115 lks. A W. oak, 10 ins. diam., bears N.6°W., 170 lks. This mile is mostly hilly oak openings. Soil, good, 2d rate, reddish clay, sand, etc.	-50
	S.89°44'E., on random, bet. secs. 28 and 33. Va.19°30'E.	
79.87	Intersect N and S line 5 lks. S of sec. cor. N.89°46'W., on true line bet. secs. 28 and 33.	
0.57	A road, course NW and SE.	
7.02	S. 50 lks. to NE cor. of a field, it extends S. 10 chs.	
11.87	S. 15 lks. to cor. of a field.	
12.87	A stream, 7 lks. wide, course N.20°E. Begin to ascend.	
39.93½	Set ¼ sec. post, from which A W. oak, 18 ins. diam., bears N.48½°W., 778 lks. Made trench. Va.19°25'E.	+60
50.87	A stream, 4 lks. wide, course NE. Enter oak timber, course NE and SW.	-60
54.87	Road to Mines and California NE and SW.	+75
79.87	To sec. cor. East 51 chs. prairie. Soil, good, 2d rate, clay loam. West 29 chs. oak openings. Soil, 2d rate.	+200