

Subdivisions of T 23 S., R 6 W.

CHAINS		
	North on random line bet. Secs. 1 & 2. Through heavy Timber.	Var. 19 $\frac{1}{2}$ *East.
18.10	A Fir, 20 ins. diam.	
34.81	A Fir, 40 ins. diam.	
40.00	Set temp. $\frac{1}{4}$ sec. cor.	
41.20	A Brook, 10 lks. wide, course E.	
47.32	A Hemlock, 20 ins. diam.	
63.80	A Ridge, course NW. & SE.	+200
80.22	Intersect North Boundary of Tp. 30 lks. W. of cor. to Secs. 1 & 2, (which is a Standard Cor. to Secs. 1 & 2) which is a post 4 in. sq. firmly set in the ground, marked S C T 23 S S 1 in SE., R 6 W S 2 on SW. face, with 1 notch on E. and 5 notches on W. edge, from which A Fir, 18 ins. diam., bears S.40*E., 19 lks. dist. Marked T 23 S R 6 W S 1 B T A Fir, 10 ins. diam., bears S.15*W., 11 lks. dist. Marked T 23 S R 6 W S 2 B T Inasmuch as the corners on this Standard Parallel were established with reference to the Secs. on the South, I do not set closing corners at the point of inter- section.	
40.22	Thence I run, S.0*13'W. on true line bet. Secs. 1 & 2. Set dogwood post 3 ft. long, 3 in. sq., 24 in. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which A Hemlock, 20 in. diam., bears N.5*E., 14 lks. dist. Marked $\frac{1}{4}$ S B T A Maple, 6 ins. diam., bears N.10*W., 11 lks. dist. Marked $\frac{1}{4}$ S B T	
80.22	The cor. to Secs. 1, 2, 11 & 12. Land mountainous. Soil, 3rd rate. Timber; densely covered with forests of pine, fir, hem-	