

Subdivision and Meander Lines of T. 23 S., R. 7 W., W. M.

CHAINS	
	River bank high and rugged. I leave a flag at this corner and cross the river where I set my compass on the true line between secs. 26 and 27. I then measure west 4.25 chs. From this point the flag bears S.18 3/4*E., which gives for dist. across river 12.52 chs. to which add 24.00 chs. a total of 36.52 chs.
36.52	To left bank of river where I set a post for cor. to fractional secs. 26 and 27, from which, A white oak, 6 ins. diam., bears S.5*W., 52 lks. dist.
	An ash, 15 ins. diam., bears S.48*E., 95 lks. dist. Enter prairie, river bottom, course N E. & S W.
40.00	Set 1/4 sec. post from which, A white oak, 6 ins. diam., bears N.56*W., 190 lks. dist.
	A white oak, 15 ins. diam., bears S.70*E., 70 lks. dist.
45.16	A white oak, 15 ins. diam.
80.00	Set a post for cor. to secs. 22. 23. 26 & 27, from which, A white oak, 10 ins. diam., bears N.83*W., 235 lks. A white oak, 10 ins. diam., bears S.5*W., 125 lks. A white oak, 12 ins. diam., bears N.77*E., 165 lks. A white oak, 8 ins. diam., bears S.26*E., 198 lks.
	On South side of river; land is rough heavy timber. North side prairie with scattering timber of fir and cedar. Undergrowth of oak and raspberry. Soil from 1st to 3rd rate.
	East on line between secs. 23 and 26. Knowing that this line will strike the river in less than 80.00 chs., I run it a true line.
10.80	Left bank of Umpqua river, where set a post cor. to fractional secs. 23 and 26, from which, An ash, 8 ins. diam., bears S.30*E., 133 lks. dist.