

Subdivision and Meander Lines of T. 23 S., R. 7 W., W. M.

CHAINS		
25.27	<p>To spot where my compass stands. Where set post for cor. to fractional secs. 9 and 10, from which,</p> <p>A black oak, 15 ins. diam., bears N.8*W., 152 lks. dist.</p> <p>A maple, 10 ins. diam., bears N.40*E., 188 lks. dist.</p>	
33.00	Summit of mountain ridge, course E. & W.	+400
35.37	<p>Rocky precipice which is too steep to chain and as it is impossible to set a post (or approach the river) between this point and the river I set a witness post for cor. to fractional secs. 9 and 10 at a point 5.58 chs. South of true cor., from which,</p> <p>A laurel, 10 ins. diam., bears S.88*W., 45 lks. dist.</p> <p>A laurel, 6 ins. diam., bears N.20*E., 12 lks. dist.</p> <p>I leave flag and cross the river and set my compass on right bank of the Umpqua river on true line between secs. 9 and 10. I take a base by measuring West 2.91 chs. From which point the flag at witness post on left bluff of river bears S.10 3/4*E., which gives for dist. across the river and to witness post 15.32 chs. and flag on left bank bears S.16*40'E., which gives for dist. across river 9.74 chs.</p>	-100
50.69	<p>To compass where set post for cor. to fractional secs. 9 and 10, from which,</p> <p>An ash, 10 ins. diam., bears S.50*E., 48 lks. dist.</p> <p>An ash, 6 ins. diam., bears S.40*W., 75 lks. dist.</p>	
80.00	<p>Set post cor. to secs. 3, 4, 9 and 10, from which</p> <p>A black oak, 14 ins. diam., bears S.32*W., 64 lks. dist.</p> <p>A white oak, 15 ins. diam., bears N.11*W., 97 lks. dist.</p> <p>A white oak, 15 ins. diam., bears N.75*E., 153 lks. dist.</p> <p>A white oak, 24 ins. diam., bears S.8*E., 75 lks. dist.</p>	+75