

County Surveyor's Record, Douglas County, Oregon

Subdivision and Meander Lines of T. 23 S., R. 7 W., W. M.

CHAINS	
	South on true line between Secs. 3 and 4.
40.16	Set a $\frac{1}{4}$ sec. post from which, A fir, 15 ins. diam., bears S.36*W., 47 lks. dist. A fir, 12 ins. diam., bears N.4*E., 75 lks. dist.
64.00	A brook 6 lks. wide, course S W.
80.16	To post cor. to secs. 3, 4, 9 and 10. Land rolling and rocky. Timber: fir with scattering oak on North end of line. Soil 3rd rate. Note: Sec. 3 appearing to be out of limits I carefully remeasured the North boundary of Sec. 3 on the 5th standard parallel, South and find its length to be 79.25 chs. which makes sec. 3 in limits.
	North between secs. 32 and 33. Va. 19*30'E.
12.00	A fir 50 ins. diam.
12.06	A cedar, 24 ins. diam. Both trees joined at the ground.
15.40	Creek 30 lks. wide, course N.5*E.
29.40	Left bank of Umpqua river, where set post cor. to fractional secs. 32 and 33, from which, A fir, 12 ins. diam., bears S.21*E., 39 lks. dist. A fir, 20 ins. diam., bears N.65*W., 72 lks. dist. To ascertain the distance across the river I leave a flag at the corner and cross the river and set my compass on the true line between secs. 32 and 33. I now take a base by running West 187 lks. from this point the flag bears S.10*E., which gives for dist. across the river 10.60 chs. to which add 29.40 chs.
40.00	To right bank of Umpqua river where set post for cor. to fractional secs. 32 and 33, from which, A white oak, 10 ins. diam., bears S.30*W., 12 lks. dist. A white oak, 24 ins. diam., bears N.70*E., 6 lks. dist.