

Subdivision of T. 23 S., R. 8 W., W. M.

CHAINS	
	Over broken N. slope through timber.
3.00	Bottom of a gulch, course N. about 100 ft. below witness cor. and ascend.
6.00	Top of a spur, course N. and descend.
11.10	Stream 1 lk. wide, course N.
15.21	Intersect N & S line 1.71 chs. N. of cor. to secs. 2, 3, 10 & 11, at which point I set a sandstone 14 x 12 x 6 ins., 10 ins. in the ground for closing cor. to secs. 2 & 11 marked C C with 5 notches on S. and 2 notches on E. edges from which A fir, 10 ins. diam., bears S.4*E., 69 lks. dist., marked T 23 S R 8 W S 11 B T. A maple, 10 ins. diam., bears N.3*E., 174 lks. dist., marked T 23 S R 8 W S 2 B T. A fir, 10 ins. diam., bears N.50*W., 46 lks. dist., marked T 23 S R 8 W C C S 2 & 11 B T. Land mountainous 15.21 chs. Soil 3rd & 4th rate. Heavily timbered with fir and maple. Dense undergrowth of hazel, sallal, & huckleberry.
	N.0*2'W., between secs. 2 & 3. Va. 20*30'E., at 3 P M Apr. 28th. 1894
	Over broken E. slope. descend.
1.71	Pass the closing cor. to Sec. 2 & 11.
6.00	Bottom of gulch, course E., about 100 ft. below cor. Ascend.
11.50	Top of a spur, course E., about 150 ft., high. Descend.
28.10	Stream 2 lks. wide, course N.60*E., a point about 250 ft. below top of last ridge.
39.70	Stream 1 lk. wide, course S.70*E..
40.00	Set a stone 14 x 12 x 6 ins., 10 ins. in the ground for $\frac{1}{4}$ S. cor. marked $\frac{1}{4}$ on W. face from which A fir, 50 ins. diam., bears S.64*E., 93 lks. dist., marked $\frac{1}{4}$ S B T. A cedar, 12 ins. diam., bears S.2*W., 58 lks. dist., marked $\frac{1}{4}$ S B T.