

45-

Subdivisions of T. 23 S., R. 8 W., W. M.

42.67 A fir, 24 ins. diam., marked with 2 notches on N & S sides.
 56.00 Stream 1 lk., course E.
 82.29 Intersect N boundary of Township at the standard
 cor. to sec. 2 & 3. The old post being gone and the
 B T's greatly decayed, I reestablished this corner as
 follows vis: Set a sandstone 16 x 12 x 8 ins., 12 ins.
 in the ground for standard cor. to sec. 2 & 3, marked
 S C., with 2 notches on E and 4 notches on W edges from
 which,
 A fir, 20 ins. diam., bears S.62 $\frac{1}{2}$ *E., 59 lks. dist.,
 which I mark T 23 S R 8 W S 2 B T.
 A maple, 14 ins. diam., bears S.7*W., 52 lks. dist.,
 which I mark T 23 S R 8 W S 3 B T.
 A fir, 40 ins. diam., bears N.80*W., 65 lks. dist.,
 which I mark T 23 S R 8 W S C S 2 & 3 B T.
 Land 82.29 chs. mountainous. Soil 2nd & 3rd rate. Heavily
 timbered with fir, cedar and maple. Dense under-
 growth of vine maple, hazel, arrowwood, sallal, huckle-
 berry and briars. 80.29 chs.
 April 28th, 1894.

I now return to the cor. to secs. 33 & 34 on the south
 boundary of the township. Thence, I run
 N.0*2'W., between secs. 33 & 34.
 va. 20*40'E., at 8 A M May 3rd, 1894.
 Ascend through timber.

11.63 A fir, 20 ins. diam., marked with 2 notches on N & S
 sides.
 39.50 Top of a ridge on E side of Blue mountain, course E
 about 600 ft. above cor. and descend.
 40.00 Set a post 3 ft. long, 3 ins. sq., 24 ins. in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S on W face, from which,
 A fir, 30 ins. diam., bears N.34*W., 15 lks.
 dist., marked $\frac{1}{4}$ S B T.
 A fir, 36 ins. diam., bears N.42*E., 47 lks. dist.,
 marked $\frac{1}{4}$ S B T.