

-52-

Subdivisions of T. 23 W., R. 9 W., W.M.

CHAINS	
	<p>Cor. of secs. 26, 27, 34 and 35.</p> <p>N.0*2'W., bet. sec. 26 and 27</p> <p>Ascend a SE. slope of mountain, covered heavily with alder timber.</p>
20.00	<p>Enter a dense undergrowth of small firs, hemlock and mountain balm. Bears E. and W., the ascent becomes less abrupt.</p>
35.00	<p>Top of dividing ridge, between Camp Creek and Lake Creek, bears E. and W., 250 ft. above sec. cor., begin to ascend NE. slope of mountain, covered heavily with small firs and hemlocks.</p>
40.00	<p>A point, 120 ft. below top of divide, I set a fir post 3 ft. long, 3 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S 27 on W. face, and 26 on E. face, from which,</p> <p style="padding-left: 40px;">A Fir, 14 ins. diam., bears S.6*E., 112 lks. dist., marked $\frac{1}{4}$ S 26 B T.</p> <p style="padding-left: 40px;">A Fir, 5 ins. diam., bears N.7*W., 28 lks. dist., marked $\frac{1}{4}$ S 27 B T.</p> <p>Continue to descend.</p>
60.00	<p>A dry gulch, course E., 220 ft. below $\frac{1}{4}$ sec. cor., begin to ascend.</p>
64.00	<p>Top of spur, bears E. and W., 80 ft above gulch, begin to descend.</p>
68.10	<p>A stream, 1 lk. wide, course E., begin to ascend SE. slope.</p>
77.00	<p>Top of spur, bears NE. and SW., 120 ft above stream, begin descent of steep N. slope.</p>
80.00	<p>A point 80 ft. below top of spur, I set a sandstone 20 x 15 x 10 ins., 15 ins. in the ground for cor. of secs. 22, 23, 26 and 27, marked with 2 notches on S. and E. edges, from which,</p> <p style="padding-left: 40px;">A cedar, 40 ins. diam., bears N.2$\frac{1}{2}$*E., 71 lks., dist., marked T 23 S R 9 W S 23 B T.</p> <p style="padding-left: 40px;">A Fir, 50 ins. diam., bears S.73*E., 15 lks. dist. marked T 23 S R 9 W S 26 B T.</p>