

- 60 -

Subdivisions of T. 23 S., R. 9 W., W.M.

CHAINS
41.42

Set a sandstone 24 x 16 x 6 ins., 18 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which

A Fir, 16 ins. diam., bears S.3 $\frac{1}{2}$ *E., 93 lks. dist., marked $\frac{1}{4}$ S. 34 B T.

A Laurel, 4 ins. diam., bears S.84*W., 5 lks. dist., marked $\frac{1}{4}$ S 33 B T.

This cor. stands below a high bluff, 100 ft. above stream, continue steep ascent of S. slope.

46.90 A low spur, bears E. and W., leave rocky mountain-side begin to descend.

59.30 A stream, 3 lks. wide, course S.10*E., begin ascent of S. slope of mountain.

79.40 Top of dividing ridge, bears NE. and SW.

81.42 The cor. of secs. 27, 28, 33 and 34.

Land, mountainous.

Soil, gravelly and rocky; 3rd and 4th rate.

Timber, fir, cedar, hemlock, alder, laurel.

Underbrush, huckleberries and salmon-berries.

Mountainous or heavily timbered land.

81.42 chs.

September 28, 1898

N.0*2'W. on line bet. secs. 27 and 28

Descend a very steep N. slope of mountain, covered with large fir and hemlock timber and a dense undergrowth of small hemlocks, hazel, huckle and salmon berries.

14.00 The descent becomes less steep.

40.00 Set a Yew post 3 ft. long, 3 ins. sq, 24 ins., in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S 28 on W. face and 27 on E. face, from which,

A Fir, 18 ins. diam., bears S.55*E., 13 lks. dist., marked $\frac{1}{4}$ S 27 B T.

A Fir, 24 ins. diam., bears S. 28*W., 44 lks. dist., marked $\frac{1}{4}$ S 28 B T.

This cor. stands 450 ft. below sec. cor.; continue to