

## County Surveyor's Record, Douglas County, Oregon

- 69 -

Subdivisions of R. 23 S., R 9 W., W.M.

## CHAINS

A Fir, 30 ins. diam., bears S.89\*W., 56 lks. dist.,  
marked T 23 S R 9 W S 9 B T.

A Fir, 18 ins. diam., bears N.46\*W., 20 lks. dist.,  
marked T 23 S R 9 W S 4 B T.

Land, mountainous.

Soil, gravelly; 3rd rate.

Timber, fir, hemlock, cedar, alder.

Undergrowth, small hemlocks, vinemaple and huckleberries.

Mountainous or heavily timbered land or land covered by  
dense undergrowth.

80.00 chs.

May 27, 1899

E. on a random line bet secs. 3 and 10.

40.00 Set temp. cor. for  $\frac{1}{4}$  sec.

79.56 Intersect N. and S. line, 44 lks. S. of cor. of secs.  
2, 3, 10 and 11.

S.89\*41'W. on true line bet. secs. 3 and 10. Ascend a  
NW. slope of mountain, covered heavily with fir and  
hemlock timber and dense undergrowth of hazel, vine-  
maple and huckleberry.

2.60 Top of spur, bears SE. and NW., 60 ft. above cor.,  
begin to descend W. slope.

17.80 A stream, 5 lks. wide, course N., begin steep ascent.

25.00 Top of ascent, along a timber bench; slightly descending.

39.78 Set a hemlock post, 3 ft. long, 3 ins. sq., 24 ins. in  
the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  S 3 on N. face,  
and 10 on S. face, from which,

A Fir, 40 ins. diam., bears N.12\*E., 74 lks. dist.,  
marked  $\frac{1}{4}$  S 3 B T.

A Fir, 40 ins. diam., bears S.18\*W., 21 lks. dist.,  
marked  $\frac{1}{4}$  S 10 B T.

42.80 A stream, 1 lks. wide, course NE., begin very steep ascent.

56.80 The ascent of E. slope becomes more gradual.

59.50 Top of ridge bears SE. and NW., 200 ft. above stream;