

Subdivisions of T. 23 S., R. 10 W.

CHAINS	
	<p>S 21 on NW. face, with 2 notches on S., and 3 notches on E. edge, from which</p> <p style="padding-left: 40px;">A fir, 12 ins. diam., bears N.71*E., 30 lks. dist. Marked T 23 S R 10 W S 22 B T</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears S.86*E., 23 lks. dist. Marked T 23 S R 10 W S 27 B T</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears S.43*W., 17<math>\frac{1}{2}</math> lks. dist. Marked T 23 S R 10 W S 28 B T</p> <p style="padding-left: 40px;">A fir, 8 ins. diam., bears N.76*W., 32 lks. dist. Marked T 23 S R 10 W S 21 B T</p> <p>Land, mountainous: the last half mile is very broken Soil, 3rd rate Timber, mostly 2nd growth fir with alder Undergrowth, Oregon grape, salal and huckleberry Land, mountainous, heavily timbered or covered with dense undergrowth, 80.00 chs.</p>
20.00	<p>Cor. of secs. 21, 22, 27 and 28</p> <p>Thence I run</p> <p>East, on a random line bet. secs. 22 and 27</p> <p>Stake marks end of day's work <span style="float: right;">May 18, 1906.</span></p>
40.00	<p>Set temp. <math>\frac{1}{4}</math> sec. cor.</p>
76.53	<p>Intersect N. and S. line, 21 lks. N. of cor. of secs. 22, 23, 26 and 27</p> <p>In place of the old cor. I</p> <p>Set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground, for cor. of secs. 22, 23, 26 and 27, marked</p> <p style="padding-left: 40px;">T 23 S S 23 on NE., R 10 W S 26 on SE., S 27 on SW., and S 22 on NW. face, with 2 notches on S. and E. edges</p> <p>witnessed as described by the Surveyor General</p> <p>The bearing tree in sec. 26 being dead, I mark a new B.T. as follows:</p>