

Retracement of the line bet. secs. 11 and 14, T. 23 S., R. 10 W.

CHAINS

T 23 S S 12 on NE., R 10 W S 13 on SE., S 14 on SW and S 11 on NW face, with 4 notches on S., and 1 notch on E edge; witnessed as described by the Surveyor General.

Land, mountainous.

Soil, 3rd rate.

Timber, fir and hemlock.

Undergrowth, fir, hemlock, salal and vine maple.

Land, mountainous, heavily timbered or covered with dense undergrowth, 78.85 chs.

July 31, 1906.

Resurvey of the line bet. Secs. 11 and 12, T. 23 S., R. 10 W.

At the cor. of secs. 11, 12, 13 and 14.

Thence I run

North, on a blank line bet. secs. 11 and 12.

40.00 I make diligent search for the $\frac{1}{4}$ sec. cor. but can find no trace of it.

Set temp. $\frac{1}{4}$ sec. cor.

45.00 Intersect water line of Loon Lake, the point where meander cor. was set has since been covered several ft. deep with debris from a slide which destroyed all timber, so no trace of this cor. can be found.

Set temp. meander cor. of frac. secs. 11 and 12.

I go to meander cor. of frac. secs. 11 and 12 on N shore of Lake, which is a laurel 12 ins. diam., marked and witnessed as described by the Surveyor General.

I set a flag "C" 8 lks. S of this cor. Also a flag "A" South of this cor. on S shore of Lake, 54 lks. W of temp. meander cor.

From flag "A" measure base N.83°23'W., 9.12 chs. to a point "B" from which the flag "C" bears N.38°16'E.

I check these courses, by turning the angle, and find them correct.