

Resurvey of the line bet. secs. 1 and 2, T. 23 S., R. 10 W.

CHAINS	
	Thence I run North on a blank line bet. secs. 1 and 2. Following blazed line.
4.00	To avoid a bluff about 75 lks. N of this point, I off- set E., 3.40 chs.
	Thence North on offset line..
7.00	Offset W., 3.40 chs. to line..
10.32	Intersect $\frac{1}{2}$ sec. cor.
64.55	Intersect top of bluff; set a flag. Also set flag on line, N across Mill Creek. Go to flag across Mill Creek and measure base W., 1.50 chs. from which base, flag bears S.22*40'E.
	$\text{Cot. } 22^{\circ}40' = (2.394) \times 1.50 = 3.59$ $64.55 + 3.59 = 68.14 \text{ chs.}$
68.14	To flag on line, marking end of days work. <p style="text-align: right;">August 7, 1906.</p>
84.06	Intersect N bdy. of Tp. 70 lks. E of cor. of secs. 1 and 2, original cor. gone. Set a fir post, 3 ft. long, 4 ins. sq., 24 ins. in the ground for cor. of secs. 1 and 2, marked T 23 S S 1 on SE., R 10 W S 2 on SW face, with 1 notch on E., and 5 notches on W edge, witnessed as described by the Surveyor General.
	Thence I run S.0*29'E on a true line bet. secs. 1 and 2. Over mountainous land, through heavy timber and dense undergrowth.
17.15	Mill Creek, 100 lks. wide, about 2.50 chs. above mouth of Sock Creek, course of Mill Creek, NE., 200 ft. below cor.
17.75	Foot of steep bluff, 75 ft. above Mill Creek.
24.80	A stream, 3 lks. wide, in gulch, 50 ft. deep. Ascend over low mountains.
47.55	Branch, 1 lk. wide, course N.20'E.