

County Surveyor's Record, Douglas County, Oregon

South Boundary of T. 24 S., R. 1 W.

CHAINS	<p>Marked T 25 S R.1 W S 2 B T</p> <p>A fir, 10 ins. diam., bears N.28*W., 31 lks. dist.</p> <p>Marked T 24 S R 1 W S 35 B T</p> <p>This cor. is on a hillside, sloping SE about 50 ft. below last spur.</p> <p>Land, mountainous</p> <p>Soil, 3rd and 4th rates</p> <p>Timber, fir, hemlock, cedar, pine, chincapin, maple, alder and madrona</p> <p>Dense undergrowth of rhododendron, vine-maple, chincapin, hemlock, fir, cedar, pine, and salal-berry.</p> <p>Mountainous land, or covered with dense undergrowth, 80 chs.</p>
	<p>East, on true line, bet. secs. 36 and 1 Mag. decl. 20*E</p> <p>Descend</p>
5.75	Creek, 2 lks. wide, course N about 25 ft. below sec. cor.
9.25	Creek, 2 lks. wide, course N about 65 ft. below sec. cor.
15.90	Creek, 2 lks. wide, course N about 115 ft. below sec. cor.
18.05	Creek, 10 lks. wide, course NW about 150 ft. below sec. cor. Ascend
35.27	Rocky ledge, bears N and S about 250 ft. above creek
40.00	<p>Set a basalt stone 16x10x6 ins. 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N face, from which</p> <p>A fir, 12 ins. diam., bears S.70*E., 17 lks. dist.</p> <p>Marked $\frac{1}{4}$ S B T</p> <p>A fir, 24 ins. diam., bears N.75*W., 16 lks. dist.</p> <p>Marked $\frac{1}{4}$ S B T</p>
	<p>This cor. is on a hillside sloping W about 300 ft. above creek last noted</p>
45.10	Rock bluff, 20 ft. high, facing SW about 75 ft. above $\frac{1}{4}$ sec. cor.
66.54	Creek 1 lk. wide course SW, about 175 ft. above $\frac{1}{4}$ sec. cor.
80.00	<p>To cor. of Tps. 24 and 25 S Rs. 1 E and 1 W which I established July 14, 1896. This cor. is about, 275 ft. above $\frac{1}{4}$ sec. cor.</p>