

Subdivisions of T. 24 S., R. 1 W.

CHAINS	
40.00	<p>Set a basalt stone, 12x8x8 ins. 8 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W face, from which</p> <p style="padding-left: 40px;">A fir, 36 ins. diam., bears N.33*E., 88 lks. dist. Marked $\frac{1}{4}$ S B T</p> <p style="padding-left: 40px;">A fir, 30 ins. diam., bears N.10*W., 28 lks. dist. Marked $\frac{1}{4}$ S B T</p> <p>This cor. is on a steep hillside, sloping E</p>
41.75	Spur, sloping East, about 50 ft. below $\frac{1}{4}$ sec. cor.
48.50	Dry bed of creek, course E, about 75 ft. below spur last noted. Ascend
58.65	Spur, sloping E., about 50 ft. above dry creek-bed
68.75	Spur, sloping E., about 25 ft. above last spur.
77.00	<p>Top of spur, sloping N.75*E., about 50 ft. above last spur</p> <p>Descend along hillside sloping NW</p>
80.00	<p>Set a basalt stone, 12x8x6 ins. 9 ins. in the ground, for cor. of secs. 12, 13, 14, and 11, marked with 4 notches on S and 1 notch on E edges; from which</p> <p style="padding-left: 40px;">A fir, 12 ins. diam., bears N.46*E., 6 lks. dist. Marked T 24 S R 1 W S 13 B T</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears S.75*E., 19 lks. dist. Marked T 24 S R 1 W S 13 B T</p> <p style="padding-left: 40px;">A fir, 16 ins. diam., bears S.24*W., 17 lks. dist. Marked T 24 S R 1 W S 14 B T</p> <p style="padding-left: 40px;">A fir, 18 ins. diam., bears N.15*W., 8 lks. dist. Marked T 24 S R 1 W S 11 B T</p> <p>This cor. is on a steep hillside sloping NW about 50 ft. below spur last noted</p> <p>Land, mountainous</p> <p>Soil, 3rd rate</p> <p>Timber, fir, hemlock, cedar, pine, chincapin, maple, madrona, and yew</p>