

Retracement of the East Bdy. of T. 24 S., R. 2 W.

CHAINS	
	<p style="text-align: center;">A hemlock, 12 ins. diam., bears S.27*W., 15 lks. dist. Marked T 24 S R 2 W S 36 B T</p> <p style="text-align: center;">A hemlock, 12 ins. diam., bears N.16*W., 35 lks. dist. Marked T 24 S R 2 W S 25 B T</p> <p style="text-align: center;">This line, therefore, bears N.9*19'E, and is 35.53 chs. in length</p>
39.60	<p>Thence I run North, on blank line, bet. secs. 25 and 30</p> <p>To a point, 61 lks. E of <math>\frac{1}{4}</math> sec. cor. which is a basalt stone, marked as described by the surveyor general</p> <p>The B T in sec. 30 is destroyed. I reestablish cor. to correspond to the following description.</p> <p>Set a basalt rock, 18x16x16, ins., 12 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. marked <math>\frac{1}{4}</math> on W face, from which</p> <p style="text-align: center;">An oak, 5 ins. diam., bears S.65*W., 20 lks. dist. Marked <math>\frac{1}{4}</math> S B T</p> <p style="text-align: center;">A madrona, 6 ins. diam., bears N.12*E., 61 lks. dist. Marked <math>\frac{1}{4}</math> S B T</p> <p>Therefore, this line bears N.53'W., and is 39.60 chs. in length</p> <p>From this <math>\frac{1}{4}</math> sec. cor., I run North on blank line, bet. secs. 25 and 30</p>
38.63	<p>Intersect E and W line, 435 lks. W of cor. of secs. 19, 30, 25 and 24</p> <p>I find post badly decayed, and accessory trees not agreeing with data furnished by the surveyor general</p> <p>This line being incorrect in alinement and position, I reestablish cor. at the same point, as follows:</p> <p>Set a maple post, 4 ft. long, 4 ins. sq. 24 ins. in the ground, for cor. of secs. 24 and 25, marked T 24 S S 25 on SW, and R 2 W S 24 on NW faces; with 2 notches on S and 4 notches on N edges; from which</p>