

## Retracement of E bdy. of T. 24 S., R. 2 W.

CHAINS

A fir, 60 ins. diam., bears S.59\*W., 33 lks. dist.

Marked T 24 S R 2 W S 25 B T.

A hemlock, 12 ins. diam., bears N.49\*W., 19 lks. dis.

Marked T 24 S R 2 W S 24 B T.

Therefore, this line, bears N.6\*25'E., and is 38.87 chs.  
in length

July 21, 1896

Thence I run from this cor.

North, on a blank line, bet. secs. 19 and 24

39.14 To a point, 140 lks. E of  $\frac{1}{4}$  sec. cor. which is a post, 12  
ins. above ground, marked and witnessed as described by  
the surveyor general

This line, therefore, bears N.2\*3'W., and is 39.16 chs.  
in length.

From this  $\frac{1}{4}$  sec. cor, I run

North, on a blank line, bet. secs. 19 and 24

38.25 To a point, 300 lks. E of cor. of secs. 18, 19, 24 and 13  
which is a post, 2 ft. above ground, marked and witnessed  
as described by the surveyor general.

This line being incorrect in position and alinement, I  
reestablish this cor. at the same point, as follows.

Set a fir post, 4 ft. long, 4 ins. sq. 24 ins. in the  
ground, for cor. of secs. 13 and 24, marked T 24 S S  
24 on SW and R 2 W S 13 on NW faces, with 3 notches on  
N and S edges; from which

A fir, 18 ins. diam., bears S.46\*W., 41 lks. dist.

Marked T 24 S R 2 W S 24 B T

A fir, 12 ins. diam., bears N.31\*W., 10 lks. dist.

Marked T 24 S R 2 W S 13 B T

Therefore, this line bears N.4\*29'W., and is 38.36 chs. in  
length

From the cor. of secs. 13 and 24, I run

North, on a blank line, bet. secs. 13 and 18