

North Boundary of T. 25 S., R. 2 W.  
 as surveyed by John A. McQuinn, Deputy Surveyor, under Contract  
 No. 466, dated April 5, 1883.

CHAINS

From the cor. to Tps. 24 & 25 S., Rs. 2 and 3 W., which  
 is a post 4 ft. long, 4 ins. sq. firmly set in the  
 ground, marked T 24 S S 31 on NE., R 2 W S 6 on SE.,  
 T 25 S S 1 on SW., R 3 W S 36 on NW. faces, with 6  
 notches on each edge, from which

A hemlock, 24 ins. diam., bears N.70\*E. 26 lks. dist.  
 marked T 24 S R 2 W S 31 B T.

A hemlock, 16 ins. diam., bears S.15\*E. 40 lks. dist.  
 marked T 25 S R 2 W S 6 B T.

A hemlock, 20 ins. diam., bears S.20\*W. 17 lks. dist.  
 marked T 25 S R 3 W S 1 B T.

A hemlock, 48 ins. diam., bears N.50\*W. 65 lks. dist.  
 marked T 24 S R 3 W S 36 B T.

I run

East, on a random line bet. Tps. 24 and 25 S., R. 2 W.

Find Tp. line to be 5 miles 77 chs. and 36 lks. long.

Intersect line 1 chain and 73 lks. N. of cor. to Tps.

24 & 25 S., R. 1 & 2 W.

Thence I run

N.89\*48'W. on true line bet. secs. 1 & 36.

Var. 19½\*

20.32 A fir, 10 ins. diam.

21.80 Brook, 2 lks. wide, flows SW.

35.80 Ridge, bears N. & S.

+300

40.00 Set post 3 ft. long, 3 ins. sq., 24 ins. in the ground  
 for ¼ sec. cor. marked ¼ S. on N. face, from which

A fir, 16 ins. diam., bears N.21\*W. 52 lks. dist.  
 marked ¼ S B T.

A fir, 18 ins. diam., bears S.29\*W. 13 lks. dist.  
 marked ¼ S B T.

63.82 A fir, 20 ins. diam.

70.00 Ridge, bears NE. & SW.

+200

80.00 Set post 4 ft. long, 4 ins. sq., 24 ins. in the ground  
 for cor. to secs. 1, 2, 35 and 36, marked T 24 S S 36  
 on NE., R 2 W S 1 on SE., T 25 S S 2 on SW. & 35 on NW.