

County Surveyor's Record, Douglas County, Oregon

Subdivisions of T. 24 S., R. 2 W.

CHAINS	<p>A fir, 30 ins. diam., bears N.23*W. 47 lks. dist. marked T 24 S R 2 W S 4 B T.</p> <p>Land, mountainous and heavily timbered with fir and hemlock, with a dense undergrowth of vine maple, and rhododendron, 80.00 chs.</p> <p>Soil, sandy and rocky, 3rd and 4th rate.</p>
	<p>N.89*42'E. on a random line bet. secs. 3 and 10. Var. 21*E.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.42	<p>Intersect N. and S. line 7 lks. S. of the cor. to secs. 2, 3, 10 and 11.</p> <p>Thence I run</p> <p>S.89*39'W. on a true line bet. secs. 3 and 10. Var. 20*E.</p>
30.25	Through heavy timber, descend about 300 ft. to
32.50	Creek, 1 lk. wide, course SW. and ascend about 50 ft. to
40.21	<p>Top of spur, course SW. and descend about 150 ft.</p> <p>Set a basalt stone 15x10x8 ins., 10 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, from which</p> <p>A hemlock, 24 ins. diam., bears S.26*E. 9 lks. dist. marked $\frac{1}{4}$ S B T.</p> <p>A hemlock, 30 ins. diam., bears N.71*30'E. 13 lks. dist., marked $\frac{1}{4}$ S B T.</p>
43.90	<p>Creek, 10 lks. wide, course SE. and ascend about 500 ft. to</p>
60.00	Top of ridge, course N. & S. and descend about 200 ft. to
80.42	<p>The cor. to secs. 3, 4, 9 and 10.</p> <p>Land, mountainous and heavily timbered with fir and hemlock, with dense undergrowth of vine maple and rhododendron, 80.42 chs.</p> <p>Soil, sandy and rocky, 3rd and 4th rate.</p>
	<p>N.0*16'W. on a random line bet. secs. 3 and 4. Var. 21*E.</p>