

Subdivisions of T. 24 S., R. 4 W.

See Suppl. Notes

CHAINS

Begin to ascend

19.00 Top of Spur, bears E & W, 175 ft. above branch

Begin descent

36.00 A Branch 2 lks. wide, course NE, 130 ft. below top of spur

39.30 A Branch 4 lks. wide, course SE

40.00 Set an Alder Post 3 ft. long, 4 ins. sq., 24 ins. in the ground for cor. of secs. 10, 11, 14 & 15 marked T 24 S S 11 on NE R 4 W S 14 on SE; S 15 on SW and S 10 on NW faces with 4 notches on S and 2 notches on E edges from which

A Fir, 5 ins. diam., bears N.74 $\frac{1}{2}$ *E., 56 lks. dist.,

Marked T 24 S R 4 W S 11 B T

A Fir, 6 ins. diam., bears S.64 $\frac{1}{2}$ *E., 54 lks. dist.,

Marked T 24 S R 4 W S 14 B T

A Fir, 10 ins. diam., bears S.58*W., 52 lks. dist.,

Marked T 24 S R 4 W S 15 B T

A Fir, 6 ins. diam., bears N71*W., 76 lks. dist.,

Marked T 24 S R 4 W S 10 B T

Land Mountainous

Soil, gravelly, loam, 2nd. rate

Timber, Fir, Cedar, Alder

Mountainous or heavily timbered land, 40.00 chs.

September 20, 1896

At the cor. of secs. 10, 11, 14 & 15

Thence I run

N.89*5'E., on random line bet. secs. 11 & 14

40.00 Set Temp. $\frac{1}{2}$ sec. cor.

80.48 Intersect N & S line 49 lks. N of cor. secs. 11, 12, 13 & 14

As I probably destroyed the old SW witness tree by chopping into it for the overgrown marks, I made another

A Hemlock, 14 ins. diam., bears S2 $\frac{3}{4}$ *W., 82 lks.

dist., Marked T 24 S R 4 W S 14 B T

Thence I run

S.89*26'W., on true line bet. secs. 11 & 14