

## Subdivisions of T. 24 S., R;4 W.

CHAINS

N.0\*2'W., on true line bet. secs. 9 &amp; 10

Descend N slope of Mountain covered heavily by Fir Timber  
bears E & W

33.30 A Branch 2 lks. wide, course NE

40.00 Set a Fir Post, 3 ft. long, 3 ins. sq., 24 ins. in the  
ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S on the W face from  
which

A Hemlock, 6 ins. diam., bears N.50\*W., 54 lks. dist.

Marked  $\frac{1}{4}$  S B T

A White Fir, 16 ins. diam., bears S.65\*E., 65 lks.

dist., Marked  $\frac{1}{4}$  S B T

Continue descent of N slope, 350 ft. below branch

47.50 A Stream 3 lks. wide, course NE

53.40 A Stream 2 lks. wide, course NE, 150 ft. below  $\frac{1}{4}$  sec. cor.

Begin to Ascend

64.50 Top of Spur, bears E &amp; W, 120 ft. above stream

Begin to descend

79.50 A Stream 4 lks. wide, course NE, 250 ft. below spur

Begin to ascend

80.00 A Point 20 ft. above stream, set a Maple Post 3 ft. long,  
4 ins. sq., 24 ins. in the ground for cor. of secs. 3, 4,  
9 & 10 marked T 24 S S 3 on NE; R 4 W S 10 on SE; S 9 on  
SW and S 4 on NW faces with 3 notches on E and 5 notches  
on S edges from which

A Cedar, 35 ins. diam.; bears N.36 $\frac{1}{2}$ \*E., 36 lks. dist.

Marked T 24 S R 4 W S 3 B T

A Cedar, 30 ins. diam., bears S.88\*E., 88 lks. dist.

Marked T 24 S R 4 W S 10 B T

A Hemlock, 20 ins. diam., bears S.40\*W., 46 lks.

dist., Marked T 24 S R 4 W S 9 B T

A Cedar, 32 ins. diam., bears N.33\*W., 54 lks. dist.

Marked T 24 S R 4 W S 4 B T

Land Mountainous

Soil, poor loam, 3rd. rate

Timber, Fir, Cedar, Hemlock