

Subdivisions of T. 24 S., R. 4 W.

CHAINS

Mountainous or heavily timbered land, 80.00 chs.

Weather did not permit taking of lat.

September, 23, 1896

At the cor. of secs. 3, 4, 9 & 10

Thence I run

S.89°50'E., on a random line bet. secs. 3 & 10

40.00 Set Temp. $\frac{1}{4}$ sec. cor.

80.18 Intersect N & S line 35 lks. S of cor. of secs. 2, 3, 10 & 11

Thence I run

S.89°55'W., on true line bet. secs. 3 & 10

Along NW slope of mountain covered heavily by Fir timber bears N & S

1.05 A Branch 3 lks. wide, course NW

5.50 A Branch 2 lks. wide, course N

Begin to ascend

12.75 Top of Spur, bears N & S, 60 ft. above branch

Begin descent

15.20 A Gulch, course N, 75 ft. below top of spur

Begin ascent of E slope

31.70 Top of Spur bears N & S, 120 ft. above gulch, enter burnt timber; begin to descend

40.09 A Point 50 ft. below top of Spur, I set a Fir Post 3 ft. long 3 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S on N face from which

A Fir, 6 ins. diam., bears N.72°E., 35 lks. dist.,

Marked $\frac{1}{4}$ S B T

A Fir, 5 ins. diam., bears S.81°W., 29 lks. dist.,

Marked $\frac{1}{4}$ S B T

42.00 Begin to ascend

53.20 Top of ridge, bears NW & SE

Leave burnt timber, begin to descend W slope

72.50 A Stream 5 lks. wide, course N, 450 ft. below top of ridge

79.12 A Stream 4 lks. wide, course NE

80.18 The cor. of secs. 3, 4, 9 & 10