

County Surveyor's Record, Douglas County, Oregon.

Subdivisions of T. 24 S., R. 6 W.

CHAINS		
	S.89*46'E on random between secs. 16 & 21	
	Va. 19*45'E	
80.24	Intersect N & S line 24 lks. N of sec. cor.	
	N.89*36'W on true line between secs. 16 & 21	
7.50	A stream 3 lks. wide, course S.20*W	
10.00	Leave small valley & begin to ascend hill N & S	Level
30.75	Top of spur, NE & SW	+250
40.12	Set $\frac{1}{4}$ sec. post, from which	-250
	A W oak, 12 ins. diam., bears N.19*W., 61 lks. dist.	
	A Y oak, 15 ins. diam., bears S.3 $\frac{1}{2}$ *E., 21 lks. dist.	
	Va. 20*35'E	
43.75	A stream 5 lks. wide, course South	-120
62.00	Top of spur, N.60*W. & S.60*E.	+300
67.50	A stream 3 lks. wide, course S.60*E.	-150
80.24	To section corner	+400
	Land except valley all hills and mountains	
	Timber fir, oak, laurel etc.	
	Undergrowth, hazel, fern, ninebark, poison oak, etc.	
	Soil, 2nd rate, red clay	
<hr/>		
	North between secs. 31 & 32	
	Va. 18*55'E	
33.00	Begin to descend	+100
40.00	Set $\frac{1}{4}$ sec. post, from which	+150
	A yew, 10 ins. diam., bears S.78*W., 22 lks. dist.	
	A yew, 20 ins. diam., bears S.30*E., 82 lks. dist.	
42.30	A fir, 56 ins. diam.	
44.00	A stream 3 lks. wide, course East	-10
68.00	Leave fir timber & enter oak openings E & W	+200
78.00	Top of spur	+75
80.00	Set post cor. to secs. 29, 30, 31 & 32, from which	-40
	A W oak, 20 ins. diam., bears N.69 $\frac{1}{2}$ *E., 454 lks.	
	dist.	
	A W oak, 13 ins. diam., bears N.89*W., 68 lks. dist.	