

## Subdivisions of T. 24 S., R. 6 W.

CHAINS		
	<p>7 W S 25 on SW, and S 24 on NW faces with 2 notches on the South and 6 notches on the East edges, from which</p> <p>A fir, 11 ins. diam., bears N.87°E., 8 lks. dist. Marked T 24 S R 6 W S 19 B T</p> <p>A fir, 12 ins. diam., bears S.46°E., 50 lks. dist. Marked T 24 S R 6 W S 30 B T</p> <p>A fir, 12 ins. diam., bears S.66°W., 22 lks. dist. Marked T 24 S R 7 W S 25 B T</p> <p>A fir, 20 ins. diam., bears N.63°W., 49 lks. dist. Marked T 24 S R 7 W S 24 B T</p>	
	<p>Thence I run</p> <p>N.89°43'E on true line between sections 19 and 30 Va. 20°40'E</p>	
2.50	Top of spur, slopes North	+14
5.50	W. edge of bench land	-146
8.50	E. edge of bench land	level
16.00	Top of ascent	+110
40.00	West side canyon creek bottom	-860
41.58	<p>A maple 14 ins. diam., which I marked <math>\frac{1}{4}</math> S on North side for <math>\frac{1}{4}</math> section corner, from which</p> <p>A W fir, 26 ins. diam., bears N.38°W., 75 lks. dist. Marked <math>\frac{1}{4}</math> S B T</p> <p>A W fir, 15 ins. diam., bears S.78°15'W., 160 lks. dist. Marked <math>\frac{1}{4}</math> S B T</p>	
42.08	Canyon creek 10 lks. wide, course N.10°E.	-5
51.00	Top of spur N & S	+190
55.00	Stream 4 lks. wide, course N.40°W.	-110
	Enter Mrs. Van Asburg's clearing	
61.50	Leave Mrs. Van Asburg's clearing	
	Fence course NW & SE, enter Oakland and Scottsburg road	
62.00	Enter oak and fir thicket	
72.00	Leave oak and fir thicket	
81.58	The cor. to secs. 19, 20, 29 & 30	+120