

Subdivisions of T 24 S., R 7 W., W.M.

CHAINS	Top of a spur on S slope, about 100 ft. high and descend.
14.50	
28.85	A stream, 5 lks. wide, course SE. A point about 350 ft. below top of spur and ascend.
34.65	A point about 125 ft. above last stream.
42.00	Top of a ridge, course South, about 150 ft. high and descend.
52.00	Top of a bluff, 60 ft. high.
52.90	A stream, 1 lk. wide, course SE. A point about 400 ft. below top of ridge.
54.55	A stream, 1 lk. wide, course S.; and ascend.
70.00	A point about 750 ft. above stream and descend.
74.65	The cor. to secs. 10, 11, 14 and 15. Land mountainous, 74.65 chs. Soil stony, 4th rate and heavily timbered with fir, maple and cedar, with dense undergrowth of hazel, thimbleberry and briars, 74.65 chs.
	N.0*2'W., on a random line bet. secs. 10 and 11. Va. 20*35'E.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
81.48	Intersect E and W section line 66 lks. E. of cor. to secs. 2, 3, 10 and 11, which is a post, 4 ins. sq., marked T 24 S 2 on NE., R 7 W S 11 on SE., S 10 on SW., and S 3 on NW., faces, with 5 notches on S. and 2 notches on E edges, from which A Fir, 40 ins. diam., bears N.23*E., 11 lks. dist. marked T 24 S R 7 W S 2 E T. A Fir, 10 ins. diam., bears S.60*E., 26 lks. dist. marked T 24 S R 7 W S 11 E T. A Fir, 20 ins. diam., bears S.16*W., 50 lks. dist. marked T 24 S R 7 W S 10 E T. A Fir, 30 ins. diam., bears N.80*W., 29 lks. dist. marked T 24 S R 7 W S 3 E T. Thence I run S.0*30'E., on a true line bet. secs. 10 and 11.

See-corrected Field Notes.