

Subdivisions of T 24 S. R 7 W. W.M.

CHAINS	
	on SE., S 19 on SW., and S 18 on NW., faces, with 3 notches on S. and 5 notches on E. edges, from which A Fir, 16 ins. diam., bears N.1*W., 33 lks. dist., marked T 24 S R 7 W S 18 B T. A Fir, 30 ins. diam., bears N.1*E., 36 lks. dist., marked T 24 S R 7 W S 17 B T. A Fir, 12 ins. diam., bears S.75*E., 46 lks. dist., marked T 24 S R 7 W S 20 B T. A Fir, 10 ins. diam., bears S.3*W., 27 lks. dist., marked T 24 S R 7 W S 19 B T.
	Thence I run N.0*4'W., bet. sec S. 17 and 18. Va. 20*30'E.
	Descend gradually.
5.25	Stream, 4 lks. wide, course E., at forks of same, from N.60*W., and S.60*E., and ascend.
13.14	A Fir, 14 ins. diam., marked with 2 notches on N and S sides.
15.70	Top of a ridge, course E.; 300 ft. high and descend to
29.15	Stream, 2 lks. wide, course E. A point 200 ft. below top of ridge.
36.50	Stream, course SE., and ascend gradually.
40.00	Set a post, 3 ft. long, 3 ins. sq., 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S on W. face, from which A Cedar, 20 ins. diam., bears N.9*W., 11 lks. dist. marked $\frac{1}{4}$ S B T. A Yew, 12 ins. diam., bears S.54*E., 25 lks. dist., marked $\frac{1}{4}$ S B T.
49.00	Begin to descend gradually.
64.25	Stream, 3 lks. wide, course N.60*E.
74.65	Stream, 2 lks. wide, course E.
80.25	To a point, 1.22 chs. W. of old cor. to secs. 7, 8, 17 and 18, old cor. post gone, bearing trees marked as per notes furnished by surveyor general, where I set a post 4 ft. long, 4 ins. sq., 24 ins. in the ground for cor. to secs. 7, 8, 17 and 18, marked T 24 S S 8 on NE.,