Subdivisions of T 24 S. R 7 W. W.M.

CHAINS	
	A Fir, 10 ins. diam., bears N.41*E., 62 lks. dist., marked T 24 SR 7 W S 13 B T.
	A Fir, 70 ins. diam., bears S.30*E., 35 lks. dist., marked T 24 S R 7 W S 24 B T .
	A Fir, 20 ins. diam., bears S.48*W., 36 lks. dist., marked T 24 S R 7 W S 23 B T.
	A Maple, 8 ins. diam., bears N.21*W., 97 lks. dist. marked T 24 S R 7 W S 14 B T.
	I run
	East bet. secs. 13 and 24.
	Va. 20*35'E.
1.26	C C to secs. 23 and 24.
11.12	Intersect the right bank of the Umpqua River, but find no trace of meander cor. Thence offset south 75 lks. thence run east 7.11 chs., thence offset N.75 lks.
18.23	To the meander cor. on the right bank of river.
	The cor. tree and one of the bearing trees being gone, I re-establish the cor. as follows:
	Set a stone, 14x10x8 ins., 10 ins. in the ground for meander cor. to fractional secs. 13 and 24, marked M C on W face, from which
	A Fir, 70 ins. diam., bears S.50*E., 81 lks. dist., marked T 24 S R 7 W S 24 M C B T.
	An Alder, 10 ins. diam., bears N.82*E., 21 lks. dist marked T 24 S R 7 W S 13 M C B T.
40.81	The ¼ sec. cor., which is a post, 3 ins. sq., marked ¼ S on N. face, from which
	A Fir, 20 ins. diam., bears S.40*W., 10 lks. dist., marked ¼ S B T.
	The other bearing tree being gone, I mark
	A Fir, 4 ins. diam., bears N.11*E., 23 lks. dist., marked ¼ S B T.
81.34	The cor. to secs. 13, 18, 19 and 24, on the east bdy. of the Tp., which is a post, 4 ins. sq., marked T 24 S S 18 on NE., R 6 W S 19 on SE., R 7 W S 24 on SW., and S 13 on NW. faces, with 3 notches on N and S. edges,